
Automated Assistants to Identify and Prompt Action on Visual News Bias

Vishwajeet Narwal

West Virginia University (WVU)
vnarwal95@gmail.com

John O'Donovan

University of California, Santa
Barbara (UCSB)
jod@cs.ucsb.edu

Mohamed Hashim Salih

Universidad Nacional Autonoma
de Mexico (UNAM)
mhssulimanm@gmail.com

Tobias Höllerer

University of California, Santa
Barbara (UCSB)
holl@cs.ucsb.edu

Jose Angel Lopez

Universidad Nacional Autonoma
de Mexico (UNAM)
joseangel.robotics@gmail.com

Saiph Savage

West Virginia University (WVU)
saiph.savage@mail.wvu.edu

Angel Ortega

University of California, Santa
Barbara (UCSB)
angelortega@cs.ucsb.edu

Abstract

Bias is a common problem in today's media, appearing frequently in text and in visual imagery. Users on social media websites such as Twitter need better methods for identifying bias. Additionally, activists—those who are motivated to effect change related to some topic, need better methods to identify and counteract bias that is contrary to their mission. With both of these use cases in mind, in this paper we propose a novel tool called UnbiasedCrowd that supports identification of, and action on bias in visual news media. In particular, it addresses the following key challenges (1) identification of bias; (2) aggregation and presentation of evidence to users; (3) enabling activists to inform the public of bias and take action by engaging people in conversation with bots. We describe a preliminary study on the Twitter platform that explores the impressions that activists had of our tool, and how people reacted and engaged with online bots that exposed visual bias. We conclude by discussing design and implication of our findings for creating future systems to identify and counteract the effects of news bias.

Author Keywords

News Bias; Fake News; Civic Computing

ACM Classification Keywords

K.4.2 [Computers and Society]: Social Issues

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the Owner/Author. Copyright is held by the owner/author(s).
CHI'17 Extended Abstracts, May 06–11, 2017, Denver, CO, USA.
ACM 978-1-4503-4656-6/17/05.
<http://dx.doi.org/10.1145/3027063.3053227>




Figure 1: Overview of how UnbiasedCrowd functions.

Introduction

News bias refers to the bias that journalists have in how they report and cover certain events and stories [8, 12]. Visual bias is a type of news bias, where images are used to accentuate or play down certain aspects of a story. For instance, when covering a protest, the media might strategically select photos that show violence to promote a negative perspective about the event, even when the protest was largely peaceful [1, 5]. Previous research has examined a broad and diverse set of world events in which bias plays significant roles. These include racial stereotyping [15], coverage of war news [12], protests [5], natural disasters [2] and elections [4]. More recently, we have seen many reports of bias on both sides of the “Brexit” debate in the United Kingdom, e.g. [9], and on both sides of the US presidential election, e.g. [14]. These examples highlight a need for better methods to identify and mitigate news bias.

Although considerable research has been devoted to understanding how visual bias is present in real world news, less attention has been paid to developing systems that can automatically detect visual bias and enable people to mitigate its effect. Until recently have we seen the emergence of tools to detect possible biases. PageOneX [6] helps uncover placement bias. CrowdVoice and Ushahidi [10] help activists to compare different sources of news. Other systems extract news stories from different sources to try and help people to consider a story from different viewpoints and formulate a more balanced perspective [11, 3, 7]. While these tools do offer a relative ease to detect possible biases in news, they are not envisioned to take action after the bias has been detected. Given that the goals of activists is to drive change [1, 5], we believe it is especially important to develop tools that can help not only normal users but also activists to incite actions against news biases.




Figure 2: UnbiasedCrowd's Interface that shows all aggregated images of a story to help activists detect the bias and select images to create the image macro that will be shared on Twitter.

In this late-breaking work, we introduce *UnbiasedCrowd*, a system that helps typical users to identify bias, and also helps activists to easily detect visual bias, expose the bias to people, and prompt collective action on the bias. Figure 1 presents an overview of our system.

Given its action aspect, we view UnbiasedCrowd as an automated assistant to activists because the system helps activists to drive people to do something about visual biases. We ran a pilot study to understand how people react to our system that exposes them to visual biases and nudges them to take action. We found that individuals decided to engage differently with the system. Some individuals acknowledged the presence of bias in news article and took action against it, while others advocated the use of certain photos by media. We discuss design implications of our results, and engage in a discussion of systems that expose and help drive action in citizens towards news biases.




Figure 3: Bot shares the image macro on Twitter to inform people about the possible bias




Figure 4: Upon click of the image macro, people are re-directed to a site where they can explore for themselves all the media that has been generated for a particular story, and thus make the decision themselves whether there is indeed a bias or not.

UnbiasedCrowd System

Our system consists of 3 modules: 1) bias detection; 2) bias exposure; and 3) call to action (see figure 1).

1. Bias Detection Module. This module collects all of the images of the news story that the user specifies, clusters them, and displays them back to help the user detect possible biases. In our design, we consider that the user, in general, will be an activist who is interested in detecting visual biases and mobilizing people to take action on the bias.

Our system depends on Google's relevance algorithm to collect articles from different sources belonging to one same story, and then extract the photos from these news links directly. Once the images are collected we use standard computer vision techniques to cluster similar images together (in particular, we calculate each image's Fisher vector and do K-means clustering). Activists can start the investigation by looking over the image clusters and seeing if there are any discrepancies in how the media is covering an event (see Figure 2). Having clusters of images to compare helps activists to more easily detect visual bias as visual bias can be understood by comparing many images together instead of only one image.

2. Bias Exposure Module. After activists have detected a visual bias in a particular news story, our system helps them to create an image macro/collage to share with crowds to expose them to the media bias.

Figure 5 shows our system's interface to help activists create this image macro or collage. After the collage has been created, our system then uses online bots to share the image macro on social media (see Fig. 3). In particular, the image is shared as a Twitter Summary Card¹, which on clicking, redirects to a page on our system's server where




Figure 5: UnbiasedCrowd's Interface for creating an image macro using selected set of images.

all the aggregated photos of the story are presented (see Fig. 4). This enables people to investigate the case by themselves (people have access to the collage that the activist created, and also to all the images that our system collected). Consequently, people are empowered to detect if the activists, themselves, are trying to bias them.

Figure 6 showcases how the bots of our system engage with social media users to expose them to the bias. In our current implementation, our system searches for people who are currently tweeting about the news story (based on hashtags or news article they are sharing online.) We considered these individuals could be the most interested in being aware of the bias. Our bots then simply call people out and present to them the constructed image macro, asking them if they think there is a possible bias.

¹<https://dev.twitter.com/cards/types/summary-large-image>




Figure 6: Bot interacting with a user who has shared an article susceptible to visual bias

3. Call to Action Module After people have been exposed to the bias, the online bots of our system engage in conversation with people to try and drive them to take some type of action on the bias. In particular, the bots start to communicate with the people who were originally targeted (i.e., the individuals to whom the bots exposed the visual bias) by replying to their tweets and engaging them in conversation. The conversation focuses on asking people what actions can be done given the possible news media bias and encouraging people to take action. Note that the taking action part is supervised by activists who at this point can jump in to lead people to action themselves.

Preliminary Study

We ran (1) interviews and a (2) pilot study to understand how people reacted and engaged with our system.

Method

We recruited a real world activist group to use our system. We conducted interviews with the leaders and members of the group to gain insights on their perspectives and impressions on tools such as UnbiasedCrowd. We also conducted a pilot study to inspect how people engaged with the online bots of our system.

Interview Study: In our interview study, we asked activists to use UnbiasedCrowd interface for 5-15 minutes and then asked them to discuss their thoughts on the system. Participants voiced their thoughts of what they thought about our system, how and why they would use our tool or not, and how they generally used social media. We used qualitative coding to analyze interview responses. This allowed us to establish categories of the perceptions that activists had about our system.

Pilot Study: We probed our system within the use case of having activist groups who wanted to expose the media

bias to the general population. Activists used our system to uncover visual bias in a topic of their interest. They then used the online bots of our system to expose people to the bias, and initiate a discussion with people on the actions that should be taken.

Participants

We had the following participants in our study:

Activists: In particular, we worked with activist groups from Mexico² who fought to have a better energy reform in their country. These activists felt that the Mexican government and news media were biased in how they portrayed the protests on the energy reforms. The activists thought that the government wanted people to think that nobody was taking action or doing anything about the energy reform to demotivate citizens to participate in opposition movements.

General Population: For our study, our bots targeted people on Twitter to expose and discuss with them the possible visual news bias in Mexico's energy reform protests. Our bots particularly targeted people who were already discussing on social media Mexico's energy reform. We targeted these individuals given that related work has shown they might be more likely to respond and participate in collective action [13]. All people that our bots targeted spoke Spanish and the messages of our bots were also in Spanish. Activists helped tailor the messages of the bots. Bots looked for people who were mentioning hashtags related to the Mexican energy reform such as “#Gasolinazo”, “#ReformaEnergetica”, “#PEMEX”.

To engage the general public, we put into operation one of the bots of UnbiasedCrowd on Twitter, which made tweets where it presented the image macro that the activists had generated and asked people whether they thought there was a bias in how the news media was reporting the en-

²<https://www.facebook.com/AccionRevolucionariaMX/>

ergy reform in Mexico. If a person replied or mentioned the bot, the bots replied with canned questions on what actions should be done about the possible visual bias. Note that we followed the design of [13] to call and initiate action with people. We took rigorous steps to ensure ethical practices. People that our bots targeted were informed about the study after the fact and could opt out of participating (in which case we did not use their data.) All of the individuals that our bots targeted allowed us to use their data.

Results

Qualitative Results: Interviews

We had a total of 3 individuals participate in our interview study. All interviewees expressed they considered our interface was useful to expose people about the bias and start to discuss best ways to take action. The following categories covered participants' perspectives of our system.

Transparency: All participants liked the fact that our system allowed people to view and inspect the collection of photos that were collected from the news stories. They felt that having transparency about where the data came from, helped make their cause and arguments seem more truthful. Some activists also expressed that our system's site should state that it worked independently of the activists' cause, again to help them seem more authentic and real.

Education: Our interviewees expressed interest in expanding our tool to be more educational. They wanted to use our system to help people learn in a step by step process about visual bias, especially to empower people to detect it on their own and take action without any prompts. We also believe this is an interesting and important direction. In the future, we plan on exploring how our tool could be used to create micro-learning opportunities about detecting and taking action on news bias.

Context: Our interviewees also expressed that they wanted to have a way to provide context to the clusters of images that our system generated. For instance, interviewees wanted to explain to the general public that all the newspapers that support the government were showcasing empty streets to potentially make people feel that there was no issue with the energy reform. We have considered that allowing activists to provide annotations to the clusters of images could be informative for others. However, allowing annotations might not allow people to make their own decisions on what certain images might actually mean, and this could affect how people interpret the visual bias. This could even lead to people being potentially manipulated by the activists themselves. For future work, we would like to explore the consequences of allowing annotations in the clusters of images that our system generates. We are especially interested in studying how it affects how people understand the bias. We would also like to explore allowing annotations from people with different perspectives.

Quantitative Results: Pilot Study

Our bots targeted 30 people on social media and received a total of 53 responses from different individuals. Most people replied at least twice to the bots. We manually inspected the replies that people gave to the bots. People's first response was usually about their opinion on the visual bias that the bots were presenting to them; and the second reply was about the actions or next steps they thought should be done. We found that people, in general, took on two different types of actions. Some individuals appeared to take action as "evangelists" and wanted their friends and contacts to also see how they might have been biased by the media. Other individuals, appeared to take a defense stand, and actively tried to justify why it made sense for the news media to use certain photos for a story.

Future Work

It is not possible to find and recruit activist for each and every possibly biased news story, which implies the importance of educating the general public to detect Media Bias on their own. We would like to explore the possibility of using work of activists on our platform to train general users and/or Crowdworkers to be able to detect bias. We will also conduct a follow-up study to analyze how our system affects how people understand and engage with visual news bias. We will use the results to improve the design of our system and to inform the design of future social systems that organize citizens for collective action.

Acknowledgements. This work was partially funded by a J. Wayne and Kathy Richards Faculty Fellowship.

References

- [1] Laura M Arpan, Kaysee Baker, Youngwon Lee, Taejin Jung, Lori Lorusso, and Jason Smith. 2006. News coverage of social protests and the effects of photographs and prior attitudes. *Mass Communication & Society* 9, 1 (2006), 1–20.
- [2] Porismita Borah. 2009. Comparing visual framing in newspapers: Hurricane Katrina versus tsunami. *Newspaper Research Journal* 30, 1 (2009), 50.
- [3] Sidharth Chhabra and Paul Resnick. 2012. Cubethat: news article recommender. In *Proceedings of the sixth ACM conference on Recommender systems*. ACM, 295–296.
- [4] Renita Coleman and Stephen Banning. 2006. Network TV news' affective framing of the presidential candidates: Evidence for a second-level agenda-setting effect through visual framing. *Journalism & Mass Communication Quarterly* 83, 2 (2006), 313–328.
- [5] Catherine Corrigan-Brown and Rima Wilkes. 2011. Picturing protest: The visual framing of collective action by first nations in Canada. *American Behavioral Scientist* (2011), 0002764211419357.
- [6] Sasha Costanza-Chock and Pablo Rey-Mazón. 2016. PageOneX: New Approaches to Newspaper Front Page Analysis. *International Journal of Communication* 10 (2016), 28.
- [7] Francisco Iacobelli, Larry Birnbaum, and Kristian J Hammond. 2010. Tell me more, not just more of the same. In *Proceedings of the 15th international conference on Intelligent user interfaces*. ACM, 81–90.
- [8] Byungkyu Kang, Tobias Höllerer, and John O'Donovan. 2015. The Full Story: Automatic detection of unique news content in Microblogs. In *Advances in Social Networks Analysis and Mining (ASONAM), 2015 IEEE/ACM International Conference on*. IEEE, 1192–1199.
- [9] Jane Martinson. 2016. BBC hits back at Daily Mail accusation of 'Brexit bias'. (October 2016). <https://www.theguardian.com/media/2016/oct/13/bbc-hits-back-against-daily-mail-accusation-of-brexit-bias> [Accessed: 05-January-2017].
- [10] Ory Okolloh. 2009. Ushahidi, or 'testimony': Web 2.0 tools for crowdsourcing crisis information. *Participatory learning and action* 59, 1 (2009), 65–70.
- [11] Souneil Park, Seungwoo Kang, Sangyoung Chung, and Junehwa Song. 2009. NewsCube: delivering multiple aspects of news to mitigate media bias. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. ACM, 443–452.
- [12] Katy Parry. 2010. A visual framing analysis of British press photography during the 2006 Israel-Lebanon conflict. *Media, War & Conflict* 3, 1 (2010), 67–85.
- [13] Saiph Savage, Andres Monroy-Hernandez, and Tobias Höllerer. 2016. Botivist: Calling Volunteers to Action using Online Bots. In *Proceedings of the 19th ACM Conference on Computer-Supported Cooperative Work & Social Computing*. ACM, 813–822.
- [14] John Sides. 2016. Is the media biased toward Clinton or Trump? Here is some actual hard data. (September 2016). <http://wpo.st/IU2R2> [Accessed: 05-January-2017].
- [15] Grace Waters. 2014. *Threats, Parasites and Others: The Visual Framing of Roma Migrants in the British Press*. Master's thesis. London School of Economics and Political Science.